

Elkay Drinking Solutions

- Malaysia



EZH20® RAPID WATER BOTTLE FILLING STATIONS

Elkay's EZH2O bottle filling stations deliver a clean, quick water bottle fill and enhance sustainability by minimizing our dependency on disposable plastic bottles. They are ideal for education, healthcare, fitness clubs and hospitality settings.

The EZH2O bottle filling stations are good for the earth and great for facility managers, with installation and maintenance made stunningly simple.

Plastic bottles of water served without the

3,369,142,784

hv 12 31 2015

Why ezH2O?



Touchless, sensor activated filling system with automatic 20-second shut-off timer.

Graphic Ticker™

Bottles Saved
00123456

Informs users of number of 20 oz. plastic water bottles saved from waste.

Dual-Function



Complete cooler and bottle filling station in a consolidated space saving ADA compliant design.

Visual Filter Monitor



Green, yellow and red LEDs indicate filter status and when replacement is necessary.

3000 Gallon Filtration



Optional WaterSentry[®] Plus™ filter certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction.

Easy Installation



Universal design adapts easily to existing plumbing systems.





EZH2O® Bottle Filling Station with Single ADA Cooler

- Dual-Function: Complete cooler and bottle filling station in a consolidated space saving ADA compliant design

• Filter: WaterSentry® Plus™ 3000 gallon /11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary

■ Hands-Free[™]: Sanitary no-touch sensor activation with automatic 20-second shut-off timer

■ Green Ticker™: Counts the quantity of bottles saved from waste

• Bubbler: Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation

• Location: Rated for indoor service

• Installation: Wall-mount

• Quick Fill Rate: 1.1-1.5 GPM / 4.2-5.7LPM

• Power: 220V-230V

Dimensions (in): (L) 18-3/8" * (W) 19" * (H) 39-1/16"
 Dimensions (mm): (L) 467 * (W) 483 * (H) 992



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZS8WSL2K	Vinyl	Light Grey Granite	Optional	8 GPH/30 LPH	68 lbs/30.8 kg
EZS8WSS2K	Stainless Steel	Stainless Steel	Optional	8 GPH/30 LPH	68 lbs/30.8 kg
LZS8WSL2K	Vinyl	Light Grey Granite	\checkmark	8 GPH/30 LPH	71 lbs/32.2 kg
LZS8WSS2K	Stainless Steel	Stainless Steel	$\sqrt{}$	8 GPH/30 LPH	71 lbs/32.2 kg
LZSDWSL2K	Vinyl	Light Grey Granite	√	_	45 lbs/20.4 kg
LZSDWSS2K	Stainless Steel	Stainless Steel	\checkmark	_	45 lbs/20.4 kg



EZH2O® Bottle Filling Station with Single Vandal-Resistant ADA Cooler

- Dual-Function: Complete cooler and bottle filling station in a consolidated space saving ADA compliant design

• Filter: WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary

■ Hands-Free[™]: Sanitary no-touch sensor activation with automatic 20-second shut-off timer

■ Green Ticker™: counts the quantity of bottles saved from waste

- Bubbler: Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and is keyed-in to prevent rotation

• Location: Rated for indoor service

• Installation: Wall-mount

• Quick Fill Rate: 1.1-1.5 GPH/4.2-5.7LPM

• Power: 220V-230V

Dimensions (in): (L) 18-3/8" * (W) 19" * (H) 39-1/16"
 Dimensions (mm): (L) 467 * (W) 483 * (H) 992



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZS8WSVRL2K	Vinyl	Light Grey Granite	Optional	8 GPH/30 LPH	69 lbs/31.3 kg
EZS8WSVRS2K	Stainless Steel	Stainless Steel	Optional	8 GPH/30 LPH	69 lbs/31.3 kg
LZS8WSVRL2K	Vinyl	Light Grey Granite	\checkmark	8 GPH/30 LPH	72 lbs/32.7 kg
LZS8WSVRS2K	Stainless Steel	Stainless Steel	√	8 GPH/30 LPH	72 lbs/32.7 kg



EZH2O® Bottle Filling Station with Versatile Bi-Level ADA Cooler

- Dual-Function: Complete cooler and bottle filling station in a consolidated space saving ADA compliant design

• Versatile Bi-Level Design: Allows for standard high-left/low-right or alternative low-left/high-right installation

• Filter: WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with visual LED Filter Monitor to indicate when replacement is necessary

■ Hands-Free[™]: Sanitary no-touch sensor activation with automatic 20-second shut-off timer

■ Green Ticker™: Counts the quantity of bottles saved from waste

• Location: Rated for indoor service

• Installation: Wall-mount

• Quick Fill Rate: 1.1-1.5 GPH/4.2-5.7LPM

• Power: 220V-230V

Dimensions (in): (L) 36-3/4" * (W) 19" * (H) 39-1/16"
 Dimensions (mm): (L) 467 * (W) 483 * (H) 933



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FILTER	REFRIGERATION	SHIPPING WEIGHT
LZSTL8WSL2K	Vinyl	Light Grey Granite	Flexi-Guard *	√	8 GPH/30 LPH	92 lbs/41.7 kg
LZSTL8WSS2K	Stainless Steel	Stainless Steel	Flexi-Guard *	V	8 GPH/30 LPH	92 lbs/41.7 kg
LZSTL8WSVRL2K	Vinyl	Light Grey Granite	Vandal-Resistant**	√	8 GPH/30 LPH	94 lbs/42.6 kg
LZSTL8WSVRS2K	Stainless Steel	Stainless Steel	Vandal-Resistant**	√	8 GPH/30 LPH	94 lbs/42.6 kg

^{*}Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation

^{**}Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and keyed-in to prevent rotation



EZH2O® In-Wall Bottle Filling Station

• Filter: WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSD 42 and 53 for lead, particulate, chlorine, tase and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary

- Hands-Free™: Sanitary no-touch sensor activation with automatic 20-second shut-off timer

■ Green Ticker™: Counts the quantity of bottles saved from waste

• Location: Rated for indoor service

• Installation: Fully-recessed in-wall design

- ADA: Meets ADA standards when properly installed

• Quick Fill Rate: 1.1-1.5 GPH/4.2-5.7LPM

• Power: 220V-230V

• Dimensions (in): (L) 19-3/4" * (W) 3-1/2" * (H) 40-13/16"

Dimensions (mm): (L) 502 * (W) 279 * (H) 1037



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZWSM82K	Stainless Steel	Stainless Steel	Optional	8 GPH/30 LPH	80 lbs/36.3 kg
LZWSM82K	Stainless Steel	Stainless Steel	\checkmark	8 GPH/30 LPH	80 lbs/36,3 kg



EZH2O® Surface-Mount Bottle Filling Station

Hand-Free™: Sanitary no-touch sensor activation with automatic 20-second shut-off timer

■ Green Ticker™: Counts the quantity of bottles saved from waste

• Location: Rated for indoor service

• Installation: Surface mount design - ideal for installations with limited wall depth

• ADA: Meets ADA standards when properly installed

• Quick Fill Rate: 1.1-1.5 GPH/4.2-5.7LPM

• Power: 220V-230V

• Dimensions (in): (L) 17-15/16" * (W) 8-3/16" * (H) 25-7/16"

Dimensions (mm): (L) 456 * (W) 208 * (H) 646



MODEL #	MATERIAL cabinet	FINISH cabinet	FILTER	REFRIGERATION	SHIPPING WEIGHT
EZWSSMJO	Stainless Steel	Stainless Steel	-	-	32 lbs/14,5 kg

EZH2O® Mechanical Surface-Mount Bottle Filling Station

- Push-Button Activation: Ideal for installations where electrical wiring is not easily accessible or locations looking to reduce electrical usage
- Filtration: 500 gallon/1,893 liter capacity AquaSentry filtration with battery powered Visual LED Filter Monitor to indicate when replacement is necessary
- Green Ticker™: Battery powered, counts the quantity of bottles saved from waste
- Anti-Bacterial: Integrated silver ion antimicrobial protection in key areas
- Location: Rated for indoor service
- Installation: Surface mount design ideal for installations with limited wall depth
- ADA: Meets ADA standards when properly installed
- Dimensions (in): (L) 17-7/8" * (W) 6-1/4" * (H) 25- 7/8"
- Dimensions (mm): (L) 454 * (W) 159 * (H) 657



MODEL #	MATERIAL cabinet	FINISH cabinet	FILL RATE	FILTER	REFRIGERATION	SHIPPING WEIGHT
EMASMB	Stainless Steel	Stainless Steel	1.0 GPH/3.8 LPM	Optional	_	22 lbs/10.0 kg
LMASMB	Stainless Steel	Stainless Steel	0.5 GPH/1.9 LPM	√	_	24 lbs/10.9 kg



EZ ADA Water Cooler

• Barrier-Free ADA: Meets adult or child ADA standards when properly installed

• Bubbler: Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation

• Easy-To-Install: Universal Design adapts easily to existing plumbing systems

• Glass Filler: Prepped for separate order

• Location: Rated for indoor service

• Installation: Wall-mount

• Power: 220V-230V

• **Dimensions (in):** (L) 18-3/8" * (W) 19" * (H) 19-13/16"

Dimensions (mm): (L) 467 * (W) 483 * (H) 503



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	GLASS FILLER	REFRIGERATION	SHIPPING WEIGHT
EZS8L2JO	Vinyl	Light Grey Granite	Flexi-Guard	_	8 GPH/30 LPH	51 lbs/23.1 kg
EZS8LF2JO	Vinyl	Light Grey Granite	Flexi-Guard	\checkmark	8 GPH/30 LPH	51 lbs/23.1 kg
EZS8S2JO	Stainless Steel	Stainless Steel	Flexi-Guard	-	8 GPH/30 LPH	51 lbs/23.1 kg
EZS8SF2JO	Stainless Steel	Stainless Steel	Flexi-Guard	√	8 GPH/30 LPH	51 lbs/23.1 kg



EZ Versatile ADA Bi-Level Water Cooler

• Bi-Level Design: Allows for standard high-left/low-right or alternative low-left/high-right installation

• Barrier-Free ADA: Meets adult or child ADA standards when properly installed

• Bubbler: Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation

• Easy-To-Install: Universal design adapts easily to existing plumbing systems

• Optional Filtration: 1500 gallon capacity WaterSentry® filtration

• Location: Rated for indoor service

Installation: Wall-mountPower: 220V-230V

Dimensions (in): (L) 36-3/4" * (W) 19" * (H) 25-5/16"
 Dimensions (mm): (L) 933 * (W) 483 * (H) 640



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EZSTL8L2JOC	Vinyl	Light Grey Granite	Flexi-Guard	8 GPH/30 LPH	72 lbs/32.7 kg
EZSTL8S2JOC	Stainless Steel	Stainless Steel	Flexi-Guard	8 GPH/30 LPH	72 lbs/32.7 kg



Vandal-Resistant ADA Bi-Level Water Cooler

• Bi-Level Design: Allows for standard high-left/low-right or alternative low-left/high-right installation

• Barrier-Free ADA: Meets adult or child ADA standards when properly installed

- Bubbler: One piece Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and keyed-in to prevent rotation

• Activation: Temper-resistant push button activation

• Easy-To-Install: Universal design adapts easily to existing plumbing systems

• Location: Rated for indoor / outdoor service

Installation: Wall-mountPower: 220V-230V

• Dimensions (in): (L) 36-5/16" * (W) 18-5/8" * (H) 27-1/8"

Dimensions (mm): (L) 922 * (W) 473 * (H) 689



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	LOUVER SCREEN	SHIPPING WEIGHT
VRCTL8S2JOC	Stainless Steel	Stainless Steel	Vandal-Resistant	8 GPH/30 LPH	_	94 lbs/42.6 kg
VRCTLSC8S2JOC	Stainless Steel	Stainless Steel	Vandal-Resistant	8 GPH/30 LPH	\checkmark	94 lbs/42.6 kg



SwirlFlo® ADA Single Fountains

- Barrier-Free ADA: Meets ADA when properly installed

• Bubbler: Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available

• Activation: Vandal-resistant front pushbutton provides easy operation

• Installation: Wall-mount

Location: Rated for indoor usePower: No electrical required

■ **Dimensions (in):** (L) 14" * (W) 18-3/8" * (H) 11-5/16"

• Dimensions (mm): (L) 356 * (W) 457 * (H) 279



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EDFPB114C	Stainless Steel	Stainless Steel	Flexi-Guard	_	19 lbs/8.6 kg
EDFPBV114C	Stainless Steel	Stainless Steel	Vandal-Resistant	_	18 lbs/8,2 kg

SwirFlo® ADA Bi-Level Fountains

- Bi-Level Design: Available in bi-level (high-left/low-right) or bi-level reverse alternative (low-left/high-right) installation

- Barrier-Free ADA: Meets ADA when properly installed

• **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available

• Activation: Vandal-resistant front pushbutton provides easy operation

Installation: Wall-mount

• Location: Rated for indoor use

• Power: No electrical required

• Dimensions (in): (L) 38-1/2"* (W) 19" * (H) 21-15/16"

Dimensions (mm): (L) 965 * (W) 483 * (H) 533



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	DESIGN	REFRIGERATION	SHIPPING WEIGHT
EDFPBM117C	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level	_	72 lbs/32.6 kg
EDFPBM117RAC	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level Reverse	_	72 lbs/32,6 kg



Soft Sides® ADA Single Drinking Fountains

- Barrier-Free ADA: Meets ADA when properly installed

• Bubbler: Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available

• Activation: Vandal-resistant front pushbutton provides easy operation

• Installation: Wall-mount

Location: Rated for indoor usePower: No electrical required

• Dimensions (in): (L) 12-1/8" * (W) 18-3/4" * (H) 6-1/2"

• **Dimensions (mm):** (L) 305 * (W) 457 * (H) 165



MODEL #	MODEL # MATERIAL FINISH cabinet cabinet		BUBBLER	REFRIGERATION	SHIPPING WEIGHT
EDFP214C	Stainless Steel	Stainless Steel	Flexi-Guard	_	16 lbs/7.3 kg
EDFPVR214C	Stainless Steel	Stainless Steel	Vandal-Resistant	-	16 lbs/7.3 kg

Soft Sides® ADA Bi-Level Fountains

- Bi-Level Design: Available in bi-level (high-left/low-right) or bi-level reverse alternative (low-left/high-right) installation

- Barrier-Free ADA: Meets ADA when properly installed

• Bubbler: Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available

- Activation: Vandal-resistant front pushbutton provides easy operation

• Installation: Wall-mount

• Location: Rated for indoor use

• Power: No electrical required

• Dimensions (in): (L) 38-1/2" * (W) 19-3/8" * (H) 20-3/8"

Dimensions (mm): (L) 25 * (W) 482 * (H) 508



MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	DESIGN	REFRIGERATION	SHIPPING WEIGHT
EDFP217C	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level	_	42 lbs/19.1 kg
EDFP217RAC	Stainless Steel	Stainless Steel	Flexi-Guard	Bi-Level	-	42 lbs/19.1 kg



Outdoor EZH2O® Bi-Level Bottle Filling Stations with Pet Station

• Multifunctional: Includes bottle filling station, drinking fountain and pet station; available in 12 colors

• Bubbler: Vandal-resistant bubbler is keyed in to prevent rotation

• Activation: Vandal-resistantfront pushbutton provides easy operation

• Installation: Floor Mount/Freestanding

• Location: Rated for indoor/outdoor service

• Power: No electrical required

• **Dimensions (in):** (L) 26" * (W) 31" * (H) 64"

• **Dimensions (mm):** (L) 660 * (W) 787 * (H) 1626

AVAILABLE FINISHES / MATERIALS





MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FREEZE RESISTANT	REFRIGERATION	SHIPPING WEIGHT
*LK4420BF1UDB	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	_	-	205 lbs/93 kg
*LK4420BF1UDBFRK	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	$\sqrt{}$	_	224 lbs/102 kg

^{*}SKU number will vary by color. Please contact customer service for more details.



Outdoor Bi-Level ADA Pedestal Fountain

• Multifunctional: Includes two drinking fountain stations

• Bubbler: Vandal-resistant bubbler is keyed in to prevent rotation

• Activation: Vandal-resistantt pushbuttons provide easy operation

• Installation: Floor Mount/Freestanding

• Location: Rated for indoor/outdoor service

• Power: No electrical required

Dimensions (in): (L) 14" * (W) 31" * (H) 40-5/16"
 Dimensions (mm): (L) 356 * (W) 787 * (H) 1016

AVAILABLE FINISHES / MATERIALS





MODEL #	MATERIAL cabinet	FINISH cabinet	BUBBLER	FREEZE RESISTANT	REFRIGERATION	SHIPPING WEIGHT
*LK4420	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	_	_	155lbs/70.3 kg
*LK4420FRK	Heavy-Duty Steel	12 Colors Available	Vandal-Resistant	$\sqrt{}$	_	155lbs/70.3 kg

^{*}SKU number will vary by color. Please contact customer service for more details.



 ${\sf Chicago} \cdot {\sf Shanghai} \cdot {\sf Zhuhai} \cdot {\sf Mexico} \; {\sf City} \cdot {\sf Dubai} \cdot {\sf Singapore} \cdot {\sf Amsterdam}$

Sanieuro Sdn Bhd B-LG-1, Connaught Avenue, Jalan 9, Taman Bukit Cheras, 56000, Kuala Lumpur, Malaysia Tel: +603-9108 2199 Fax: +603-9108 3199 E: sales@sanieuro.com Web: www.sanieuro.com

Novatec Sanitaryware Co., Ltd 343/25-26 Thanon Khlong Lam-Jiag, Nuanchan, Buengkum, Bangkok 10230, Thailand Tel: +602-1053401 Fax: +602-1053400 E: sales@novatecsanitaryware.com Web: www.novatecsanitaryware.com

Novatec Sanitaryware Lanka (Pvt) Ltd No:9, Chillaw Road, Dalupotha, Negombo, Sri Lanka Tel: +94 31-2223535 / +94 31-2228230 Fax: +94 31-2223535 E: info@novateclanka.com Web: www.novateclanka.com

Sanieuro Myanmar Co., Ltd No. 162, 50th Street, Pa Zun Taung Township, Yangon, Myanmar Tel: +95 1 291202 E: salesmyanmar@sanieuro.com Web: www.novatecmyanmar.com

Version 2017-1.0

