essential 1/ N The Best Technology for Water essential17\_sanieuro\_02.indd 1 7/4/2017 4:33:58 PM



Acquaviva Sky Sand Abc Blues Up Kitchen


Maximum efficiency Made in Suno

On the cover: Move, Marco Venzano

Imagine the future is an fascinating challenge. For over sixty years we have been constantly engaged in developing new innovations and promoting the protection of the environment, improving the efficiency of our product every day. We support the creativity of the best designers and architects, realising bathroom settings unique for their design and technological content.

۲


 $\bigcirc$ 



## ECO-FRIENDLY MIXERS: MATERIAL RECYCLING

All of the machining production systems are connected to a conveyor that carries the chips to a centrifuge, inside of which the brass is separated from the oil used for cooling and lubrication. The chips reach the storage silos and, after being treated, are turned back into brass bars, waste-free, while the oil is filtered and put back into the circuits where it is used in the machinery, thus drastically reducing its consumption.

۲



# The Acquaviva collection. Order and equilibrium.

Geometric proportions and cutting-edge technology. The new Acquaviva collection celebrates sixty years of innovation, making the most of modern captivating styling, with lines that are neat and well-balanced in every detail and from all points of view. It uses the best available technology, starting with the adoption of the Nobili Widd<sup>®</sup> 28 cartridge with its mere 28 mm diameter, the most advanced technological expression in the

sector, and so small. It uses the production quality of the Suno factory, where the entire collection comes to life, one component at a time, in futuristic and eco-friendly workshops. It respects the environment, adopting solutions capable of reducing consumptions, reducing management costs and saving the planet. The Acquaviva collection, happy birthday Nobili.

ACQUAVIVA



۲

Sixty years of innovation: to mark its sixtieth birthday, Nobili refuses to resort to half measures and treats itself to a brand new unmistakable collection. The simultaneous appeal of a fresh and modern line is wrapped in an intense technological tradition forever present in the DNA of the brand: the innovation of the Nobili Widd<sup>®</sup> 28 cartridge is reflected in the everyday use of the mixer, that of saving water and energy.

7/4/2017 4:34:06 PM

#### WASHBASIN



W103118/1CR Single control mixer tap



W103128/2CR Single control washbowl mixer tap



WE00198CR, W103198CR Wall-mounted single control mixer tap with 150 mm spout



WE00198CR, VV103198/1CR Wall-mounted single control mixer tap with 200 mm spout

BIDET



W103119/1CR Single control mixer tap

BATH - SHOWER



W103110/1CR External single control mixer tap

SHOWER



W103130CR External single control mixer tap



W103110CR External single control mixer tap with duplex



W103010/1CR External thermostatic mixer tap



W103010/1CR External thermostatic mixer tap with duplex



W103030CR External thermostatic mixer tap



W103108CR 1-way flush fit single control mixer



W103100CR 2-way flush fit single control mixer

۲

## SHOWER HEADS

#### HAND SHOWERS AND SUPPORTS



AD138/44CR, AD139/122CR 350 mm wall-mounted arm, swivel shower head 245 x 245 mm with rain jet



AD146/43CR Water connection with single jet shower head



AD146/25CR Directional support with single jet shower head



AD150/1CR Water connection

## HAND SHOWERS AND SUPPORTS SHOWER COLUMNS



۲



AD140/49CR 650 mm wall rail with single jet shower head

SINK



W103113CR Single control mixer tap with swivelling body

W103030/31CR External single control mixer, swivel shower head 245 x 245 mm with rain jet, single jet shower head




W103127CR Single control mixer tap with swivelling body and two-jet pull-out shower head

### ECO-FRIENDLY MIXERS: AIR TREATMENT

Extremely powerful vacuum systems filter all of the dust of material following the cleaning operations: all of the production systems are connected to a network of pipes that filters the air before releasing it into the environment, thus releasing exclusively pure air. This total respect for the planet has been recognised by the Zero Emission Company certification, which certifies that the company has implemented a number of measures to achieve zero greenhouse gas emissions.

۲



# The Sky collection. A new perspective.

The Sky collection puts everyone in agreement: the dual stylistic personality of the single control wash basin tap (available in two different versions, with the Nobili Widd<sup>®</sup> 28 or 35 mm cartridge) reflects the advanced know-how of our trademark, a leader in innovation and technological efficiency. A highly efficient heart, with eco-sustainable characteristics of the highest order, designed and manufactured in our own production

facilities. The Suno works, where the Sky collection comes to life, is the most technologically advanced production complex in the entire sector, capable of producing over two and a half million taps per year. Choosing the Sky collection signifies recognising the true value of a product Made in Italy, recognised throughout the world as representing absolute quality and excellent reliability.



The washbasin mixer tap is available in two versions, each with its own style: slim body (42 mm diameter) and support base or with integral base (body diameter 50 mm) also available in the eco version with Nobili EcoFresh technology (temperature limiter), Nobili EnergySaving technology (energy saving) and Nobili WaterSaving technology (dynamic flow regulator) for a maximum respect of the environment.

۲

SKY

#### WASHBASIN





SYE97118/1CR Energy saving single control mixer tap

SY97116/1CR Single control mixer tap

1



WE00198, SY97198CR Wall-mounted single control mixer tap with 150 mm spout

BIDET



WE00198, SY97198/1CR Wall-mounted single control mixer tap with 200 mm spout



WE00198, SY97199CR Wall-mounted single control mixer tap with 150 mm spout

BATH - SHOWER

۲



WE00198, SY97199/1CR Wall-mounted single control mixer tap with 200 mm spout



SYE97119/1CR Energy saving single control mixer tap



SY97110/1CR External single control mixer tap

SHOWER



SY97130CR External single control mixer tap



SY97110CR External single control mixer tap with duplex



SY97010/1CR External thermostatic mixer tap



SY97010CR External thermostatic mixer tap with duplex



SY97030CR External thermostatic mixer tap



SY97108CR 1-way flush fit single control mixer



SY97100CR 2-way flush fit single control mixer

۲

### SHOWER HEADS



AD138/44CR, AD139/10CR 350 mm wall-mounted arm, swivel shower head ø 200 mm with rain jet

#### HAND SHOWERS AND SUPPORTS



۲



AD146/42CR Water connection with single jet shower head

SHOWER COLUMNS

AD146/18CR Directional support with single jet shower head



۲

AD150/1CR Water connection

SINK



AD140/23CR 650 mm wall rail with single jet shower head



SY97130/30CR External single control mixer, swivel shower head ø 200 mm with rain jet, single jet shower head

- Columb

SY97030/30CR

single jet shower head

External thermostatic mixer, swivel

shower head ø 200 mm with rain jet,



SY97113/25CR Single control mixer tap with 360° swivelling body



SY97133CR Single control mixer tap with swivelling spout



SY97117CR Single control mixer tap with swivelling body and single jet pull-out shower head



SY97134CR Single control mixer tap with swivelling spout

۲

## ECO-FRIENDLY MIXERS: CLOSED CIRCUIT GALVANIC PLANTS


All of the processes are executed in line with strict environment protection programmes: wash water is treated with special resins in "closed circuit" tanks in order to be fully regenerated and reused. Only 3 cubic metres a day of water is consumed, as compared to the 360 cubic metres of a traditional plant with similar production figures. By distilling the liquids, only 24 cubic metres of residue are produced each year - barely the equivalent of a tanker.

۲



## The Sand collection. Elegant style, advanced technology.

The Sand collection takes advantage of the advanced technology of the 35 mm Nobili Widd<sup>®</sup> immersion cartridge, dressing it up with a clean, modern look suitable for any setting: a guarantee of absolute dependability and comfort in use permitting dynamic, elegant lines with a tall outlet flush with the mixer body. The mechanics combine all the most recent "green" technologies bearing our name, including the Nobili EnergySaving system and the Nobili WaterSaving dynamic flow regulator. Technologies that were conceived, designed and realised entirely at our Suno production facilities, modern functional settings that for some time now have been scrupulously following eco-sustainability criteria, including the recent installation of a photovoltaic plant that fully satisfies the energy needs of the company.



Extremely sensitive to protecting the environment: why not join us in the environmentally friendly world. Our mixers possess innovative technologies aimed at water efficiency (a brake system on the cartridge limits flow and helps save water) as well as energy efficiency: when the lever is in the central position, the mixer outputs cold water only, thus avoiding boiler start-up, signifying a substantial saving in energy and reduced consumption of hot water.

۲

SAND

#### WASHBASIN





SAE99128/2CR

washbowl mixer tap

Energy saving single control

SAE99118/1CR Energy saving single control mixer tap



SA99338/2CR Single control mixer tap

### BIDET



SAE99119/1CR Energy saving single control mixer tap

BATH - SHOWER



SA99110/1CR External single control mixer tap

SHOWER



SA99110CR External single control mixer tap with duplex



SA99130CR External single control mixer tap



SA99108CR 1-way flush fit single control mixer



SA99100CR 2-way flush fit single control mixer

SHOWER HEADS



AD138/44CR, AD139/10CR 350 mm wall-mounted arm, swivel shower head ø 200 mm with rain jet

HAND SHOWERS AND SUPPORTS



AD146/41CR Water connection with single jet shower head



AD144/4CR Directional support with single jet shower head



AD150/1CR Water connection

## HAND SHOWERS AND SUPPORTS SHOWER COLUMNS







SINK



SA99113/25CR Single control mixer tap, 360° swivel body



SA99117CR Single control mixer tap, swivel body, pull-out single jet hand shower

External single control mixer, swivel

shower head ø 200 mm with rain jet,

single jet shower head



SA99115CR External set, swivel spout



SA99133CR Single control mixer tap, swivel spout



SA99134CR Single control mixer tap, swivel spout



SA99137/1CR Single control mixer tap, swivel spout, pull-out single jet hand shower



SA99300/3CR Single control mixer tap, swivel spout, adjustable 2-jet hand shower

۲

## ECO-FRIENDLY MIXERS: RENEWABLE ENERGY

The energy consumption of a site capable of extremely high production figures is, most of the time, kept concealed. That is not our case. For some time now, the company has been investing in resources to increasingly reduce impact on the environment. Over 9,000 photovoltaic plant modules ensure 20% reduction in consumption, while the installation of more than 1000 LED lamps has cut consumption generated by indoor and outdoor lighting.

۲



# The Abc collection. The beginning and the future.

The Abc collection marks the start of a new era: one of maximum savings and respect for the environment. Its formal appearance follows the recent stylistic developments of the brand after the adoption of the Nobili Widd<sup>®</sup> 35 mm immersion cartridge, which allows dynamic and elegant lines with a tall outlet flush with the mixer body. The mechanics combine all the most recent "green" technologies bearing our name, including the Nobili EnergySaving system and the Nobili WaterSaving dynamic flow regulator. Technologies that were conceived, designed and realised entirely at our Suno production facilities, modern functional settings that for some time now have been scrupulously following eco-sustainability criteria, including the recent installation of a photovoltaic plant that fully satisfies the energy needs of the company.



The style of the Abc collection follows the recent stylistic developments of the brand after the adoption of the Nobili Widd® 35 immersion cartridge, which allows elegant clean lines to be drawn with a tall outlet flush with the mixer body. The variety of solutions available (three washbasin mixer taps, four bath, many shower solutions and six sink variants) highlights the precision and efficiency of the range.

۲

ABC

#### WASHBASIN





ABE87118/1CR Energy saving single control mixer tap

BATH - SHOWER





J

ABE87128/2CR Energy saving single control washbowl mixer tap



AB87338/2CR Single control mixer tap

## BIDET



ABE87119/1CR Energy saving single control mixer tap

AB87110/1CR External single control mixer tap

SHOWER



AB87110CR External single control mixer tap with duplex



AB87010/1CR External thermostatic mixer tap



AB87010CR External thermostatic mixer tap with duplex



AB87130CR External single control mixer tap



AB87030CR External thermostatic mixer tap



AB87108CR 1-way flush fit single control mixer



AB87100CR 2-way flush fit single control mixer

SHOWER HEADS



AD138/44CR, AD139/10CR 350 mm wall-mounted arm, swivel shower head ø 200 mm with rain jet

## HAND SHOWERS AND SUPPORTS



AD146/41CR Water connection with single jet shower head



AD144/4CR Directional support with single jet shower head



AD150/1CR Water connection

۲

### HAND SHOWERS AND SUPPORTS SHOWER COLUMNS





AD140/39CR 650 mm wall rail with single jet shower head



SINK

AB87133CR

with swivelling spout



single jet shower head

Single control mixer tap



AB87134CR Single control mixer tap with swivelling spout



AB87130/50CR

rail, swivel shower head ø 200 mm with

AB87137/1CR Single control mixer tap with swivelling spout and single-jet pull-out shower head



AB87030/30CR External single control mixer with telescopic External thermostatic mixer, swivel shower head ø 200 mm with rain jet, single jet shower head



AB87300/3CR Single control mixer tap with swivelling spout and two-jet directional shower head



AB87713CR Single control mixer tap with swivelling body



AB87115CR External set, swivel spout

## ECO-FRIENDLY MIXERS: ECO-FRIENDLY MIXERS

Our mixers carry with them the ecological DNA of the production cycle and preserve innovative technologies that offer high levels of efficiency in terms of water and energy. When the lever is in the centre position, the mixer dispenses only water at room temperature, thus preventing the boiler from switching on and releasing carbon dioxide into the air. The result is lower energy consumption.

۲



# The Blues collection. Ethics and technology.

The geometric synthesis of the Blues collection achieves maximum ergonomics through a boldly expressive gesture: Nobili Widd® 35 mm cartridge technology, a guarantee of absolute dependability and comfort in use, permitting dynamic, elegant lines with a tall outlet flush with the mixer body. The mechanics combine all the most recent "green" technologies bearing our name, including the Nobili EnergySaving system

and the Nobili WaterSaving dynamic flow regulator. Technologies that were conceived, designed and realised entirely at our Suno production facilities, modern functional settings that for some time now have been scrupulously following eco-sustainability criteria, including the recent installation of a photovoltaic plant that fully satisfies the energy needs of the company.



The Blues collection is available in two washbasin versions, bidet, bath, shower and many sink versions. The adoption of the Nobili Widd<sup>®</sup> 35 immersion cartridge combines a reduced cross-section with incredibly clean lines, and a tall outlet spout flush with the mixer body. The Nobili EnergySaving and Nobili WaterSaving technology helping the consumer save water and energy on a daily basis.

۲

BLUES

#### WASHBASIN





BSE101118/1CR Energy saving single control mixer tap

BS101338/2CR Single control mixer tap

BIDET



BSE101119/1CR Energy saving single control mixer tap





BS101110/1CR External single control mixer tap

SHOWER



BS101130CR External single control mixer tap



BS101110CR

with duplex

External single control mixer tap

BS101108CR 1-way flush fit single control mixer



BS101100CR 2-way flush fit single control mixer

SHOWER HEADS



AD138/44CR, AD139/10CR 350 mm wall-mounted arm, swivel shower head ø 200 mm with rain jet



HAND SHOWERS AND SUPPORTS



AD146/41CR Water connection with single jet shower head



AD144/4CR Directional support with single jet shower head



AD150/1CR Water connection

## HAND SHOWERS AND SUPPORTS SHOWER COLUMNS





AD140/39CR 650 mm wall rail with single jet shower head

SINK



BS101113/60CR Single control mixer tap, swivel spout



External single control mixer, swivel

shower head ø 200 mm with rain jet,

single jet shower head

BS101113/25CR Single control mixer tap, 360° swivel body



BS101117CR Single control mixer tap, swivel body, pull-out single jet hand shower



Single control mixer tap, swivel body,



BS101300/3CR Single control mixer tap, swivel spout, adjustable 2-jet hand shower





BS101133CR Single control mixer tap, swivel spout



BS101134CR Single control mixer tap, swivel spout



BS101137/1CR Single control mixer tap, swivel spout, pull-out single jet hand shower



۲

BS101127CR pull-out 2-jet hand shower

## ECO-FRIENDLY MIXERS: LOW-LEAD BRASS AND FOOD-GRADE PLASTIC

Our mixers are manufactured entirely in very low-lead brass: its ecological vocation makes it the ideal choice for the manufacture of a totally environmentally friendly product. We are committed to always designing products that satisfy the varying demands of the market, are simple to use and reliable under any usage conditions. The use of top quality components, such as food-grade plastic, is the result of continuous investment aimed at giving the final user greater tranquillity.

۲



# The Up collection. Exudes enthusiasm.

Evasive lines, surprising stylistic strength. Fresh and youthful look, distinctive spirit. The Up collection speaks of enthusiasm and opens up new enchanting visions. Light body, dynamic character and innovative soul. Extraordinary elegance. The statuesque proportion of Up pays homage to Italian style tradition: every element is perfectly balanced inside a whole. The dynamic flow limiter blocks the lever mid-run, helping

save water. The matte black finish enhances the dynamic and innovative spirit of the Up collection. This charismatic and elegant tone comfortably suits the most diverse bathroom settings, guaranteeing an unmistakable style and timeless energy. In addition to traditional mixers and wellness components, the matching bathroom accessories ensure the range is truly complete.



Always cool: the Up single control mixer is designed to maintain a temperature that is never hot to the touch, which is particularly useful when there are children around. The design takes on the shapes of a bowl-shaped wash basin, rotated at a right angle. This innovative concept can create style uniformity between two different products.

۲

UP

### MATTE BLACK FINISH



WASHBASIN

UP94118/1BM Single control mixer tap



UP94128/2BM Single control washbowl mixer tap



WE00198, UP94198BM Wall-mounted single control mixer tap with 150 mm spout



WE00198, UP94198/1BM Wall-mounted single control mixer tap with 200 mm spout

BIDET



UP94119/1BM Single control mixer tap

BATH - SHOWER

۲



UP94110/1BM External single control mixer tap

SHOWER



UP94130BM External single control mixer tap



UP94110BM External single control mixer tap with duplex



UP94108BM 1-way flush fit single control mixer



UP94100BM 2-way flush fit single control mixer

## FLUSH FIT THERMOSTATIC MIXERS





WE00101, WE00101/TBM 1-way flush fit thermostatic mixer

WE00102, WE00102/TBM 2-way flush fit thermostatic mixer



WE00103, WE00103/TBM 3-way flush fit thermostatic mixer





WE00104, WE00104/TBM 4-way flush fit thermostatic mixer

SHOWER HEADS



AD138/44BM, AD139/112BM 350 mm wall-mounted arm, swivel shower head ø 200 mm with rain jet

BODYJET

( )



AD138/44BM, AD139/113BM 350 mm wall-mounted arm, swivel shower head ø 300 mm with rain jet



AD138/64BM, AD139/112BM 300 mm ceiling arm, swivel shower head ø 200 mm with rain jet



AD138/64BM, AD139/113BM 300 mm ceiling arm, swivel shower head ø 300 mm with rain jet



WE00139/87BM Flush fit bodyjet

HAND SHOWERS AND SUPPORTS



AD146/32BM Water connection with single jet shower head



AD146/26BM Directional support with single jet shower head



AD150/12BM Water connection



AD140/37BM 600 mm wall rail with single jet shower head

## ECO-FRIENDLY MIXERS: ECOLOGICALLY SUSTAINABLE PACKAGING

The packaging produced respects the brand's ecologically sustainable development strategy. It is made using 100% recyclable material certified by the FSC (or Forest Stewardship Council, the organisation that promotes eco-friendly, socially useful and economically sustainable forest management around the world), and only makes use of water-based paints and natural adhesives.

۲



## The Kitchen collection. Three pieces of art.

Move by Marco Venzano: one of a kind, redesigns the sink mixer by revolutionising the concept of this item: the front rotation centre doubles the mixer's range of action. Intuition and innovation: the magnetic attraction system with no hooks or supports allows to pick up and use the hand shower with just one hand, improving its ergonomics. Zoom by Nilo Gioacchini: 720° ergonomics, unites the highest expression of

contemporary design with the most spectacular functional innovation: complete freedom of movement on the sink top. Here is a firm and evident personality: a simple, light touch and the body and spout rotate 360°. Charismatic lines, enclosing technologichal innovation. Likid by Rodolfo Dordoni and Gordon Guillaumier: pure design, synthesises function with a formal vision and refined proportions in conical and linear surfaces.



The highest form of technology, for over sixty years. Various models and finishes, design development of a unique sense of beauty. Each with its own distinct identity. Each with its own evocative style. Each possessing the supremacy of the best in design. All with the same unbeatable quality of our trademark.

۲

KITCHEN

MOVE



MV92300/50CR Single control mixer tap, 360° swivel spout, 360° swivel single jet hand shower with magnetic support

ZOOM



ZM00113/1CR Energy saving single control mixer tap, 360° swivel body and spout

#### LIKID



LK00113CR Energy saving single control mixer tap, swivel spout



MV92300/50IX Single control mixer tap, 360° swivel spout, 360° swivel single jet hand shower with magnetic support, stainless steel finish



MV92400/50CR Single control mixer tap, 360° swivel spout, 360° swivel single jet hand shower with magnetic support



MV92400/50IX

Single control mixer tap, 360° swivel spout, 360° swivel single jet hand shower with magnetic support, stainless steel finish



LK00113FL Energy saving single control mixer tap, swivel spout, polished smoke finish



LK00300CR Energy saving single control mixer tap, adjustable 2-jet hand shower



LK00300FL Energy saving single control mixer tap, adjustable 2-jet hand shower, polished smoke finish



 $\bigcirc$ 

## FRONT ROTATION

The innovative operation and the absolute stylistic purity of the Move collection, both covered by international patents, render its design unique and rather exclusive. A distinctive characteristic of the Move mixer tap is the frontal position of the centre of rotation of the shower head (opposite to the traditional sink taps), a unique feature that doubles the range of action of the mixer tap.

۲



 $\bigcirc$ 

### MAGNETIC ATTRACTION

This innovate system means that the shower head can be grasped and used with just one hand. The surface of the mixer tap remains perfectly smooth: the support and stability are controlled by a powerful magnet inside the shower head. When the button on the shower head is pressed, a stop-valve blocks the aerator jet and produces a spray jet from the shower head. When the button is released, the shower head automatically returns to aerator flow.

 $\bigcirc$ 




### THE HEART OF THE NOBILI MIXERS

The Nobili Widd<sup>®</sup> 35 Eco immersion cartridge, with its mere 35 mm diameter, is devoted to maximum saving and respect for the environment. Conceived, designed and manufactured at our own production facilities, it more than satisfies eco-sustainable objectives and helps save energy and water on a daily basis. Its design specification and the top quality materials used guarantee maximum comfort and unequalled reliability.



Thanks to its innovative design philosophy, the Nobili Widd<sup>®</sup> 35 Eco full immersion cartridge (Water Immersion Dry Disc, 35 mm diameter) allows reliability levels to be reached that were unimaginable up until now (torsional strength 18 Nxm, high pressure resistance to over 70 Bar). The water reaches the top of the mixer body flowing around the profile of the cartridge, thus drastically reducing mechanical wear: there are no internal limescale deposits and no grease is washed away. In this way, the lubrication of the plates remains unaltered and, in addition, the low friction clutch system of the ceramic discs ensures an incredibly easy movement of the lever. The cutting-edge efficiency is also achieved in terms of respect for the environment: dynamic flow regulator, energy limiter, temperature limiter, and exclusive use of food-grade materials.

Nobili Widd<sup>®</sup> 35 Eco flow graph compiled by the Nobili laboratory on 15/10/2009. Test conditions: cold water at 15°C, hot water at 65°C.



essential17\_sanieuro\_02.indd 32

۲



### THE TECHNOLOGY

The technological efficiency of our mixers signifies that it can be used in an extremely environmentally friendly manner: the combination of the two EnergySaving and WaterSaving technologies limits the consumption of the mixer, thus saving money (over 200,00 € per year for a family of four, based on the average cost of water and natural gas in Italy) and zeroing carbon dioxide emissions due to the involuntary start-up of the boiler.



#### Energy saving

The Nobili EnergySaving energy limiter delivers a flow of cold water (instead of mixed water flow) when the water is turned on with the lever at the centre position, thus avoiding boiler start-up and the consumption of hot water.



#### Dynamic flow regulator

The Nobili WaterSaving technology halves the consumption of water by applying a brake to the opening action of the lever at the half flow position. Once this slight resistance has been overcome, the mixer is free to output all the flow available.



#### Temperature limiter

Nobili EcoFresh technology prevents risks of scalding and at the same time reduces the consumption of hot water: the maximum temperature of the water output from the mixer can be varied by rotating a ring nut on the cartridge.



#### Fluid movements

The low friction of the clutch type ceramic discs avoids friction between the plates when the mixer lever is turned to the closed position, thus reducing wear of the plates and guaranteeing the soft fluid movement of the lever.



#### 5 l/min flow limiter

Nobili has chosen the exceptional quality of the Neoper® group, fitting the mixers with the Cascade® aerator. In addition to the aerator fitted to the product, some packs also contain a second aerator with a 5 l/min flow limiter.



### A brilliant finish

The gleaming polished finish is guaranteed by chrome plating values higher than the market standard: all the processes are carried out at our own factories in full compliance with environmental standards.



#### Non-twist plastic hose

The ideal component to provide that extra touch of perfection to the bathroom setting: the special metal-effect finish enhances the tap system, while the smooth surface prevents the annoying twisting typical of traditional hoses.



Flessibili NPI Italia Parinox® Softpex®

The first flexible pipe approved anywhere in the world, thanks to its superior internal hygiene properties, its optimum resistance to temperature and pressure and its improved flexibility compared to pipes in traditional PE-X.




#### Flangia di supporto

The flange type support supplied with all our kitchen mixer taps extends the bearing area over the sink top and greatly increases stability, reducing any oscillation in particularly thin mounting surfaces.

essential17\_sanieuro\_02.indd 33

۲



# Suno. The eco-friendly factory.

Choosing Nobili signifies recognising the true value of Made in Italy, unmistakable and synonymous of quality. One hundred thousand square metres of production space. Over three hundred indoor machining work centres. Three eco-friendly galvanic plants and an unparalleled environmental protection programme. Because a product designed to improve quality of life cannot be born if it is destined to destroy the world in which we live. Maximum respect and minimum consumption: the Suno factory, heart and soul of the Nobili Group, the only production centre of its kind in the sector with a high level of automation and an eco-sustainable production: the very latest development at the works consists of the 9,000 plus roof-mounted photovoltaic modules, capable of producing clean energy and reducing the company's energy consumption.



In a competitive market like ours today, a successful company cannot avoid taking innovative and courageous decisions every day. Continuing to invest in Italy, to dedicate resources to engineering and research, to expand plants so as to increase production capacity more and more, means maintaining 100% control of the production chain and product quality and ensuring that the industrial processes remain at top levels, in observance of Italian style, culture and tradition.

SANIEURO SDN BHDB-LG-1, Connaught Avenue, Jalan 9, Taman Bukit Cheras, 56000, Kuala Lumpur, MalaysiaTel: +603 9108 2199Fax: +603 9108 3199E: sales@sanieuro.comWeb: www.sanieuro.com

۲

NOVATEC SANITARYWARE CO., LTD 343/25-26, Thanon Khlong Lam-Jiag, Nuanchan, Buengkum, Bangkok, 10230, Thailand Tel: +602 1053401 Fax: +602 1053400 E: sales@novatecsanitaryware.com Web: www.novatecsanitaryware.com

NOVATEC SANITARYWARE LANKA (PVT) LTDNO: 9, Chilaw Road, Dalupotha, Negombo, Sri LankaTel: +94 31 2228223Fax: +94 31 2223535E: info@novateclanka.comWeb: www.novateclanka.com

SANIEURO MYANMAR CO., LTD No. 162, 50th Street, Pa Zun Taung Township, Yangon, Myanmar Tel: +95 1 291202 / +959 5018057 E: salesmyanmar@sanieuro.com Web: www.novatecmyanmar.com



Version 2017-1.0

( )