

Pakai[®]
since 1969



PAKAI CATALOGUE 2025
KITCHEN & BATHROOM SOLUTIONS

TABLE OF CONTENT

- 1-3 ... Barrier Free Living
 - *Nylon*
 - *Stainless Steel*
- 3 ... Baby Changing Stations
- 4 ... Hand Dryers
- 5 ... Sensor Taps | Self Closing Taps
- 6 ... WC & Urinal Flush Valves
- 7 ... Sensor & Manual Flush Valves
- 8-9 ... Floor Gratings
- 9 ... Channel Drains
- 10-11 ... Kitchen Sinks
- 12-13 ... Cold Taps
 - *Xeno Series*
 - *Ekon Series*
- 14 ... Hand Spray Bidets
- 15 ... Hand Showers
- 16 ... Flexible Hoses
- 17 ... Shower Rose | Shower Arm
- 18 ... Waste Receptacle Paper Towel | Soap Dispensers
Dispenser
- 19-20 ... Accessories
- 20 ... Waste Outlets
- 21 ... Bottle Traps
- 22 ... Concealed Cisterns
- 23 ... Plastic Cisterns
- 24 ... Toilet Seat & Covers
- 25 ... Inlet & Outlet Valves
- 26 ... WC Connector

• BARRIER FREE LIVING •

Material : Nylon



BF-8810-600
BF-8810-700
BF-8810-1200

Wall Mount Straight Grab Bar
With Antibacterial
Nylon - White
Dimension : 600 / 700 / 1200mm
ø 35mm



BF-88053-700

Wall Mount Straight Up U-Bar
With Antibacterial
Nylon - White
Dimension : 700mm
ø 35mm



BF-88083-700

Angled Wall Mount Grab Bar
With Antibacterial
Nylon - White
Dimension : 700x700mm
ø 35mm



BF-880

Wall Mount Angled Grab Bar
With Antibacterial
Nylon - White
Dimension: 500x700mm
ø35mm



BF-8817SS-700

Wall Mount U-Bar With Floor
Anchoring With Antibacterial
Nylon - White
Dimension: 600x700mm
ø 35mm



BF-88063

Angled Wall Mount Grab Bar
With Antibacterial
Nylon - White
Dimension: 500x700mm
ø35mm



BF-8856

Backrest Board With Antibacterial, Anti-Aging
Imported Nylon With Built-In
Stainless Steel Tube - White
Premium Non-Slip Finish For
Safety And Convenience
Size : 390mm X 312mm



BF-8890

Adjustable Mirror With
Wall Mount Support
Nylon - White
Mirror Size : 500x700mm
Grab Bar Length : 500mm



BF-8885

Wall Mount Swing Up
Shower Seat Stainless
Steel With Antibacterial
Nylon - White
Size : 450(W) x 435(L)mm

● **BARRIER FREE LIVING** ●

Material : Nylon



BF-8905

Wall Mount Swing Up Shower
Seat With Floor Support Stainless
Steel With Antibacterial
Nylon - White
Size : 360(W)x407(L)x480(H)mm



BF-8893

Shower Holder for 35mm
Diameter Grab Bar



BF-89562

Stainless Steel Shower Seat
Nylon - White
Dimension : 490*450*450mm
Ø 35mm

● **BARRIER FREE LIVING** ●

Material : Stainless Steel



BF-8823SS-600

Wall Mount Straight Grab Bar
Stainless Steel SUS304
Dimension : 600mm
Ø 32mm



BF-8813SS-600
BF-8813SS-700

Wall Mount U-Bar
Stainless Steel SUS304
Dimension : 600 / 700mm
Ø 32mm



BF-8818SS-600
BF-8818SS-700

Wall Mount Angled Grab Bar
Stainless Steel SUS304
Dimension 600x600mm / 700x700mm
Ø 32mm



BF-8817SS-700

Wall Mount Angled Grab Bar
Stainless Steel SUS304
Dimension : 700x700mm
Ø 32mm



BF-8861SS-700

Wall Mount Swing Up-U-Bar
Stainless Steel SUS304
Dimension : 700 mm
Ø 32mm



BF-8821SS

Wall Mount Angled Grab Bar
Stainless Steel SUS304
Length : 500x700mm
Ø 32mm

● BARRIER FREE LIVING ●

Material : Stainless Steel



BF-881ISS

Wall Mount U-Bar With
Floor Anchoring
Stainless Steel SUS304
Dimension: 600x700mm
Ø32mm



BF-HC01-S

Wall Hung Adjustable Mirror
Material :SUS304
Size : 500 x 700 x 25/95mm
Plate Thickness : 0.7mm
Finishing : Satin
Glass : 6mm Thick
Anti Fog

● BABY CHANGING STATION ●



BF-8909

Baby Changing Station
Wall Mount Horizontal Version
Material : PE
Weight : 35.0KG
Dimension : 550 x 860 x 145mm



BF-8909-4

Baby Changing Station
Wall Mount Vertical Version
Material : PE
Weight : 35.0KG
Dimension : 860 x 550 x 145mm




BF-8910

Baby Seater
Wall Mount Vertical Version
Material : PE
Weight : 35.0KG
Dimension : 540 x 310 x 140mm



AK2803K (HD-2803K)

Automatic High Speed Hand Dryer In White ABS Casing



- Product Specs** : AC220-240V / Frequency : 50Hz-60Hz / Rating power : 1150W
 : Power - 1150 Watt (Heater ON) / 500 Watt (Heater OFF)
 : Heater type - Heating wire / Outer casing - White ABS
 : Power - 1150 watt with heater on / 500 watt with heater off

- Operation** : Sensing type - Touchless infrared
 : Air speed - 60 m/s
 : Time out protection - 45 seconds
 : Drying time - 10-15 sec
 : Air temperature - 10-40 °c
 : Water proof - IPX1

Product Size : 260(W) x 180(H) x 152mm(D)

Net Weight : 3.0 kg



AK2030 (HD-2030)

Automatic Dual Jet Hand Dryer With UV Sterilization Light

- Product Specs** : AC220-240V / Frequency : 50Hz-60Hz / Rating power : 1850W
 : Motor power - 700W / Motor type - Brushless DC Motor
 : Heater type - Heating wire / Outer casing - White ABS
 : Motor power - 18900 rpm

- Operation** : Sensing type - Infrared Diffuse Reflection Induction
 : Air speed - 95 m/s
 : Time out protection - 25 seconds
 : Drying time - 7-10 sec
 : Air temperature - 20-40 °c
 : Water proof - IPX4

Product Size : 300(W) x 700(H) x 214mm(D)

Net Weight : 10.5 kg

● SENSOR TAPS ●



SF2011BP

Sensor Tap - Pillar
Automatic Sensor Faucet
AC 230V/DC Battery Operated
Size : 185(L) x 140(H)mm



SF5012BP

Sensor Tap - Pillar
Automatic Sensor Faucet
AC 230V/DC Battery Operated
Size : 168(L) x 200(H)mm



SEN-30612

Deck Mounted Sensor Soap
Liquid Tye
Dispenser
(AC 204V + DC)



SF20193BW

Sensor Tap - Wall Mount
Automatic Sensor Faucet
AC 230V/DC Battery Operated
Size : 197(L) x 60(H)mm



LT0147

Sensor Tap
AC + DC

● SELF CLOSING TAPS ●



CF100BP

Pillar Self Closing Tap
Size : 142(L) x 89(H)mm



CF105BP

Pillar Self Closing Tap
Size : 141(L) x 147(H)mm



CF102BW

Wall Mounted Self
Closing Tap
Size : 208(L) x 39(H)mm



CF103BW

Wall Mounted Self
Closing Tap
Size : 90(L) x 75(H)mm

● **WC FLUSH VALVES** ●



CF522WC

Exposed Flush Valve
For Pedestal WC



CF522SQ

Exposed Flush Valve
For Squatting Pan



CF523SQ

Concealed WC Flush Valve
For Squatting Pan



CF523WC

Concealed Flush Valve
For Pedestal WC



CF524WC

Delay Action Concealed
Low Pressure Flush Valve



CF-SCDA01

Concealed Self
Closing Valve

● **URINAL FLUSH VALVES** ●



CF501UR

Exposed Urinal Flush Valve
c/w Rubber Inlet Spud,
Semiflex Flush Pipe & Flange



CF502UR

Exposed Delay Action Urinal
Flush Valve c/w Rubber Inlet Spud,
Semiflex Flush Pipe & Flange



CF503UR

Concealed Duct Type
Urinal Flush Valve

● SENSOR & MANUAL FLUSH VALVES ●

SENSOR / AUTOMATIC FLUSH VALVE



UF-SEN55PK

Concealed Box Type Sensor Automatic
Urinal Flush Valve With Manual
Override Button
Faceplate Size: 115 X 155mm
Operated By: AC220V / DC Battery



WF-SEN25PK

Concealed Box Type Sensor Automatic
WC Flush Valve With Manual
Override Button
Faceplate Size: 115 X 155mm
Operated By: AC220V / DC Battery

MANUAL FLUSH VALVE



UF-CB23

Concealed Box Type Manual
Push Button Urinal Flush Valve
Faceplate Size:
123mm(W) x 155mm(H)



WF-CB18

Concealed Box Type Manual
Push Button WC Flush Valve
Faceplate Size:
123mm(W) x 155mm(H)



FAI19

SUS304 Decorative Tile
Insert Floor Grating
Size : 153 X 153mm
Height : 12mm



FAI21

Floor Grating With Decorative
Tile Tray (S/S Tile Trap, S/S Frame,
Abs Base And Strainer)
Frame Size : 130 x 130mm



FAI17

SUS304 Floor Grating 6''X6''
With Insect Resistant Trap



FAI15

6'' SUS304 S/S Floor
Grating With Frame
Cover Thickness : 1.5mm
Frame Thickness : 1.0mm



FAI18

8'' SUS304 Floor Grating
with Screw On Cover
Cover Thickness : 1.5mm
Height : 12mm



FT133-6

Floor Grating 6'' With
Screw On Cover &
Resistant Trap - Polish Finish



FT150-601

6'' Stainless Steel Floor Grating
with Insect Resistant Trap
Cover Thickness : 0.8mm
Frame Thickness : 0.8mm



AI04 Pakai (SUS304)

6'' Stainless Steel
Floor Grating
Thickness : 1.2mm



FT154-4

SUS304 Floor Grating 4''
With Anti Insect Trap
Finishing : Satin

● FLOOR GRATINGS ●



FT152-4

SUS304 Floor Grating 4"
With Anti Insect Trap
Finishing : Satin



A101

SUS304 Floor Grating 4"
With Curve Height
Thickness : 1.0mm



A113

SUS304 Floor Grating 6"
Comes With Plastic Strainer
Thickness : 1.2mm



FA126

SUS201 Floor Grating 6"
For Washing Machine
Thickness : 2.0mm



A105

4" Plastic Floor Grating



A110

6" Plastic Floor Grating
Comes With Plastic Strainer /
Filter Trap



A102

6" Plastic Floor Grating

● CHANNEL DRAINS ●



T-Tray Type: Anti Insect / Odour Floor Drainage / Tile Inlay

FT-SCH01-24

600mm x 65mm

FT-SCH01-36

900mm x 65mm

FT-SCH01-48

1200mm x 65mm



S-Slotted Type: Anti Insect / Odour Floor Drainage

FT-SCH02-24

600mm x 65mm

FT-SCH02-36

900mm x 65mm

FT-SCH02-48

1200mm x 65mm



DT 1060C

SUS 201 SBSB Kitchen Sink
 c/w 3 1/2" Waste
 Edge Design
 Thickness : 0.4mm
 Type: Lay On (LOI)
 Dimension : 1060mm x 455mm x 130mm



T1507P/LO

Deep : 200mm
 Waste Drainer : 3 1/2" All Steel W / Basket (T3)
 Finishing : Polish
 Thickness : 0.8mm
 Type : Lay On (LOI)
 Dimension : 1500mm x 500mm



V1206P/LO

Deep : 170mm
 Waste Drainer : 3 1/2" All Steel W / Basket (T3)
 Finishing : Polish
 Thickness : 0.6mm
 Type : Lay On (LOI)
 Dimension : 1200mm x 500mm



V7906P

Deep : 180mm
 Waste Drainer : 3 1/2" All Steel W / Basket (T3)
 Finishing : Polish
 Thickness : 0.6mm
 Type : Top Mount (TM3)
 Dimension : 1000mm x 460mm



CSJ01

Custom-made 304 grade stainless steel cleaner's sink
 Size : 533 x 483 x 350mm with 150mm high backsplash &
 integral bowl size : 431 x 343 x 300mm(depth)
 in seamless welding construction & smooth polished
 joints c/w 38mm waste assembly, stainless
 steel bucket grating with and including a
 pair of integral wall mounting brackets & 6mm raw bolts, a
 pair of 610mm high stainless steel tubular adjustable legs.

● KITCHEN SINKS ●



T5500P

Deep : 170mm
Waste Drainer : 3½" All Steel W / Basket (T3)
Finishing : Polish
Thickness : 0.6mm
Type : Top Mount (TM1)
Dimension : 480mm x 430mm



T2800P

Deep : 160mm
Waste Drainer : 3½" All Steel W / Basket (T3)
Finishing : Polish
Thickness : 0.5mm
Type : Top Mount (TM1)
Dimension : 445mm x 395



T5040P/LO

Deep : 190mm
Waste Drainer : 3½" All Steel W / Basket (T4)
Finishing : Polish
Thickness : 0.7mm
Type : Lay On (LO1)
Dimension : 500mm x 400mm



UM464IP

Deep : 200mm
Waste Drainer : 3½" All Steel W / Basket (T3)
Finishing : Polish
Thickness : 0.8mm
Type : Under Mount (UM1)
Dimension : 460mm x 410mm



● **XENO SERIES** ●

Cold Taps



T7E-1028

CP Pillar Basin Tap



T7E-1023B

CP Big Body Pillar Tap



T7E-1013

CP Wall Bib Tap



T7E-1013A

CP Short Wall Bib Tap



T7E-1015

CP Hose Bib Tap
1/2" Hose Tail



T7E-1015A

CP Short Hose Bib Tap
with 1/2" Hose Tail



T7E-1015AB

CP Short Hose Bib Tap
with 3/4" Hose Tail



T7E-1018

CP Two-Way Bib Tap



T7E-1017-QT

1/2" Concealed Quarter
Turn Stopcock



T7E-AV302BN

CP Angle Valve



T7E-1051S

CP Wall Ablution Tap
with Swivel Spout



T7E-1071H

CP Pillar Sink Tap
with Swivel Spout



T7E-1051H

CP Wall Sink Tap
with Swivel Spout

● **EKON SERIES** ●



Cold Taps



ECB-1028

CP Pillar Basin Tap



ECB-1023B

CP Deluxe Big Body Pillar Tap



ECB-1013A

CP Short Bib Tap



ECB-1013

CP Bib Tap



ECB-1015

CP Hose Bib Tap
1/2" Hose Tail



ECB-1015A

CP Short Hose Bib Tap
1/2" Hose Tail



ECB-1015AB

CP Short Hose Bib Tap
with 3/4" Hose Tail



ECB-1018

CP Two-Way Bib Tap



ECB-1017-QT

1/2" Concealed Quarter Turn Stopcock



ECB-AV302BN

CP Angle Valve



ECB-1051S

CP Wall Sink Tap with Swivel Spout



ECB-1051H

CP Wall Sink Tap with Swivel Spout



ECB-1071H

CP Pillar Sink Tap with Swivel Spout

● **HAND SPRAY BIDETS** ●



A516C

CP ABS Public Hand Spray Bidet
c/w 1.2m S/S Flexible Hose,
ABS Chromed Wall Hanger,
Plug & Screw Set



A524

CP ABS Hand Spray Bidet
c/w 1.2m S/S Flexible Hose,
ABS Chromed Wall
Hanger (Brass Capnut & Spindle)



A518C

CP ABS Choice Hand Spray Bidet
c/w 1.2m S/S Flexible Hose,
ABS Chromed Wall Hanger
& Screw Set



A516HD-C
A516HD-15

Public Spray
Nozzle Only
ABS Chromed / White



A518HD-C

Choice Spray Bidet
Only - ABS Chromed /
White



A524HD

CP ABS Spray Bidet Only
c/w Wall Hanger & Screw Sets



A270NV

Angle Valve

● **HAND SPRAY BIDETS** ●



A516-15

Public Spray Bidet c/w
1.2m PVC Flexible Hose,
Wall Hanger, Plug & Screw Set



A516B

Public Spray Bidet c/w
1.2m PVC Flexible Hose,
Wall Hanger, Plug & Screw Set



A518-15

Choice Hand Spray Bidet
c/w 1.2m PVC Flexible Hose,
Wall Hanger & Screw Set

● **HAND SHOWERS** ●



A557

ABS Chromed Hand Shower
Diameter : 4"
(3 Function)



A550

ABS Chromed Hand Shower
Diameter : 9cm
(1 Function)



A575

ABS Chromed Camelia Hand Shower
Diameter : 4"



A520

ABS Hand Shower Comes With 1.5m PVC Hose, Wall Plug & Screw Set



A557SB

CP Stainless Steel Rail c/w 3 Function CP ABS Hand Shower & 1.5m S/S Flexible Hose



A550SB

CP Stainless Steel Rail c/w 1 Function CP ABS Hand Shower & 1.5m S/S Flexible Hose



A550PVB

CP Stainless Steel Rail c/w 1 Function CP ABS Hand Shower & 1.5m PVC Hose With Brass Conical Nuts (Anti Twist)



NVR-R1

CP Stainless Steel Rail c/w CP ABS Shower Holder & Bracket (18mmΦ x (L) 700mm)



WH5C

Chrome Plated ABS Adjustable Shower Holder



WC8Q

Wall Shower Connector - Chrome Plated ABS



WC8P

Wall Shower Connector - Chrome Plated Brass

● **FLEXIBLE HOSES** ●

Stainless Steel & PVC



Stainless Steel Flexible Hose

AVAILABLE LENGTH	
A 640	36" (1000mm)
A 641	48" (1200mm)
A 642	60" (1500mm)



Silver PVC Matt Surface Hose with Brass Conical Nuts

AVAILABLE LENGTH		
Non Anti-Twist	A 634	36" (1000mm)
Anti-Twist	A 636	48" (1200mm)
Anti-Twist	A 635	60" (1500mm)



Stainless Steel Braided Hose

AVAILABLE LENGTH	
DA 650	12" (300mm)
DA 651	16" (400mm)
DA 652	18" (450mm)
DA 653	24" (600mm)



PVC Flexible Hose

AVAILABLE LENGTH	
A620-00	6" (150mm)
A626-00	8" (200mm)
A627-00	10" (250mm)
A621-00	12" (300mm)

● **SHOWER ROSE** ●



A552

CP SS304
Round 8" Ultra Slim
Rain Shower
(T: 1.8mm)



**ARS11-6
ARS11-8**

ABS Chromed Round Rain Shower
8" Diameter with Brass
Fitting Mirror Finish (SS Back)
(T: 1.8mm)



A554

ABS Chromed 4" Diameter
Shower Rose
(5 Function)



2010

ABS Chromed 5" Dia
Shower Rose
(1 Function)



A566/8C

ABS Chromed 3" Dia
Ball Joint Shower Rose c/w
L180mm CP ABS Shower Arm



A566

ABS Chromed Ivy
Shower Rose 3" Dia Face
(1 Function)



A502

ABS White Shower Rose
- 4" Dia Face



A503C

ABS Chromed Shower Rose
- 4" Dia Face

● **SHOWER ARM** ●



A513

Stainless Steel
Shower Arm
- Length : 450mm



SA01

CP Stainless Steel
Shower Arm
- Length : 150mm



A508C

ABS Chromed Shower Arm
- Length : 180mm

● WASTE RECEPTACLE PAPER TOWEL DISPENSER ●



PK-REC-460

Surface Mounted Waste Receptacle
Stainless Steel Bottom Edges Hemmed
For Maximum Safety

Size : 330mm(W) x 460mm(H) x 125mm(D)



PK-REC-AE910

Stainless Steel Surface Mounted Sanitary
Napkin Disposal With Lockable Bottom
Cover:

Size : 235mm(W) x 279mm(H) x 108mm(D)



SSJRD-R02

Pakai Jumbo Roll Tissue
Dispenser

Size : 265 x 252 x 112mm
SUS304 Matt Finish



SSPTD-469

Paper Towel Dispenser
Size : 282 x 102 x 365mm
SUS304 Matt Finish



SS-PTD-203

Stainless Steel SUS304
Paper Towel Dispenser With
Lock & Key
Size : 285 x 260 x 100mm



PLJRD-PI08

Jumbo roll toilet paper dispenser
Size : W275 x D125 x H280mm
Material : ABS plastic
Core size : 68mm

● SOAP DISPENSERS ●



SD-ZSH12

Stainless steel soap dispenser
Capacity : 800 ml
Dimensions : W122 x D72 x H202mm
Material : 304# Stainless steel
Surface : Satin finish
Thickness : 0.7mm
Lock : No
Pump : ZB-1230C



SD-WS-1069W

Manual soap dispenser
Capacity : 850ml
Dimensions : W120*D110*H260mm
Material : ABS Plastic
Versions : Spray/Foam/Liquid pump +
Refillable bottle

● ACCESSORIES ●



TPHA43

Polished Stainless Steel
Paper Holder
Size : 138mm x 95mm



TPH3910

Satin Stainless Steel
Paper Holder - Double
Size : 270 x 95mm



TPH2011

Stainless Steel Paper
Holder Chrome Finish
(Grade 2011)



TPH9718

Stainless Steel
Paper Holder



TPHA119

Concealed Polished Stainless
Steel Paper Holder - Double
Size : 315 x 165 x 70mm



A540C

CP ABS Toilet Roll Holder
c/w Plastic Roller;
Screws & Plug



TPHA120

Concealed Polished Stainless
Steel Paper Holder
Size : 165 x 165 x 70mm



TPH3911

Satin Stainless Steel
Paper Holder



DS01W

Door Stopper With Hook
(Stainless Steel SUS304)



SW01

Bevel Edge Rectangular
Wall Mirror
Size : 500 x 400 x 5mm



A530C

CP ABS Soap Holder
c/w Screw Set

● ACCESSORIES ●



AC12202

Stainless Steel Towel Rack
- Polish Finish
Length : 600mm



AC12203-24

Stainless Steel Towel Rail
- Polish Finish
Length : 600mm



AC12207

Stainless Steel
Paper Holder
- Polish Finish

● WASTE OUTLETS ●



A 202 32mm
A 203 40 mm

Stainless Steel Waste c/w
Plug & Chain (Brass Screw)



A 200NSS 40mm

Stainless Steel Waste c/w Plug &
Plastic Chain (Stainless Steel Screw)



A 220

32mm CP Brass
Push Up Waste With Overflow
Height : 80mm



A 226

32mm Big Button CP Brass
Push Up Waste With Overflow
Height : 80mm



A 227

32mm Stainless Steel Top Push
Up Waste With ABS Body &
Overflow
Height : 80mm

● BOTTLE TRAPS ●



A 300 32mm
A 301 40mm

PP Bottle Trap



A 302 32mm
A 303 40mm

ABS Chromed Bottle Trap



A 306

32mm Dia ABS Bottle Trap
Horizontal Tube : (L) 300mm
Vertical Tube : (L) 250mm



A 307

32mm Dia ABS Chromed Bottle Trap
Horizontal Tube : (L) 300mm
Vertical Tube : (L) 250mm



A 320

32mm Dia PP Bottle Trap
Comes With Integral Waste,
Plug & Chain



A 310

32mm x 40mm
PP Bottle Trap
(Singapore Spec)



A 340 32mm
A 350 40mm

(L) 1000mm Flexible Trap




BBT-3201

32mm Dia CP Bottle Trap
Horizontal Tube : (L) 300mm
Vertical Tube : (L) 150mm



BBT-3202


32mm Dia Stainless Steel Tubular Trap
Outlet Pipe : (L) 330mm
Vertical Pipe : (L) 180mm



NV701

UNIVERSAL FRAME FOR WALL HUNG WC FOR FRONT OPERATION



Thickness of cistern 90mm, height 1160mm
Adjustable flush valve 3/4.5L, 3/6L, 4/7L



NV703

UNIVERSAL CONCEALED CISTERN FOR FRONT OPERATION


Thickness of cistern 84mm, height 1100mm
Adjustable flush valve 3/4.5L, 3/6L, 4/7L



NV722

CONCEALED CISTERN FOR FRONT OR TOP OPERATED

Thickness of cistern 84mm, height 1100mm
Adjustable flush valve 3/4.5L, 3/6L, 4/7L



● PLASTIC CISTERNS ●



CT105

PAKAI HL

Application : High Level
Capacity : 6.0L / 9.0L
Flushing Mechanism :
Siphon with Lever Arm



CT106

PAKAI LL

Application : Low Level / Mid Level
Capacity : 6.0L / 9.0L
Flushing Mechanism :
Siphon with Lever Handle



CT201

PAKAI INSPIRE

Application : High Level
Capacity : 6.0L / 9.0L
Flushing Mechanism :
Lift Up Valve with Metal
Pull Chain Handle



CT202

PAKAI INSPIRE

Application : Low Level / Mid Level
Capacity : 6.0L / 9.0L
Flushing Mechanism : Lift Up Valve
With Lever Handle



CT203

PAKAI TREND

Application : Low Level / Mid Level
Capacity : 6.0L / 9.0L
Flushing Mechanism :
Single Flush Round Push Button



CT401 / 402 / 403

AUTO FLUSHING CISTERN

CT401 : 4.5L (1.1Gallon)
CT402 : 9.0L (2.3Gallon)
CT403 : 11.0L (2.9Gallon)



CT303

PAKAI UNION TWINS

Application : Low Level / Mid Level
Capacity : 9.0L / 4.5L or 6.0L / 3.0L

Flushing Mechanism :
Dual Flush Round Push Button c/w
Medium Seat & Cover & Link Set

* Product not inclusive of WC



Product Certification Mark





SCI00

Mayor PP Light Duty
Toilet Seat & Cover



SCI01

Lavender PP Light Duty
Toilet Seat & Cover



SCI03

Protea PP Light Duty
Toilet Seat & Cover



SC201

Monaco PP Medium Duty
Toilet Seat & Cover



SC203

ABS Duo Toilet Seat & Cover
with Potty Aid Child Seat



SC301

Avon PP Heavy Duty
Toilet Seat & Cover



SCI04

Cosmos Medium Duty
Toilet Seat & Cover



SC404BX

Ashley Toilet Seat & Cover
Soft Close Function
with Adjustable Stainless
Steel Hinge, Top Fixing



SC405BX

Cozy Medium Duty Toilet
Seat & Cover
Soft Close Function



SC204BX

Horgen PP Soft Close Toilet
Seat & Cover with
Magnetic Clip-On Child Seat



SC406BX

Freswash PP Soft Close
Bidet Toilet Seat & Cover
(Double Nozzle)

● INLET & OUTLET VALVES ●



PI26

Ecofit Compact Bottom Inlet Valve



PI29

Pakai Agile Compact Bottom Inlet Valve



PI40

Pakai Avonlea Compact Side Inlet Valve



PI10-6/9

Side Inlet Valve (without Ball Float)



F125/I22/I23

Auto Siphon
4.5L | 9.0L | 11L



F100-01

SQ Black Siphon



F200

Inspire Single Flush Lever Handle Outlet Valve (40mm/50mm Base)



F212

Trend Single Flush Push Button Outlet Valve (40mm/50mm Base)



F300-I

Pakai Duo Push Button Outlet Valve c/w 38mm ABS Chromed Button (50mm Base)



F400

Harmonic Single Flush Lever Handle Outlet Valve (40mm / 50mm Base)



P 450

4" Ø (100mm) Dia WC
Straight Outlet Connector



P 451

4" Ø (100mm) x 20mm WC
Offset Connector



P 452

4" Ø (100mm) x 40mm WC
Offset Connector



P 453

4" Ø (100mm) x 90 Degree
Bend WC Outlet Connector
Max Height : 240mm



P 459

4" Ø (100mm) P to S
Converter



P 457

4" Ø (100mm) Dia WC
Flexible Outlet Trap



P 449

P to S Adjustable Connector
with Supporting Bar

PAKAI INDUSTRIES BERHAD (196901000011)

B-LG-1, Connaught Avenue, Jalan 9,
Taman Bukit Cheras, 56000
Kuala Lumpur, Malaysia.

Cheras HQ : +603 9107 4950
Semenyih : +603 8725 5057
Email : sales@pakai.com
Website : www.pakai.com

SANIEURO THAI CO., LTD.

343/25-26 Thanon Klong Lam-Jiag,
Nuanchan, Buengkum, Bangkok,
10230, Thailand.

Phone : +66(0) 63 919 6365
Tel : +662 105 3401
Email : sales.th@sanieuro.com
Website : www.sanieuro.com/th

SANIEURO MYANMAR CO., LTD.

No.12, Room 7, Parami Road,
Chaw Dwin Gone, Ma Yan Gone Township,
11061 Yangon, Myanmar.

Phone : +09 267 48 1769
Email : sales.mm@sanieuro.com
Website : www.sanieuro.com/mm

SANIEURO UK LTD.

Unit 21, Kingspark Business Centre, 152-178,
Kingston Road, KT3 3ST New Malden,
United Kingdom.

Phone : +44 7497 761226
Email : sales@sanieuro.com
Website : www.sanieuro.com

CONG TY TNHH SANIEURO VIETNAM

BPA Apartment - 02.10 Botanica Building
Premier No.108, Hong Ha, Ward 2,
Tan Binh District, Ho Chi Minh City, Vietnam.

Phone : +84 90 972 2086
Email : sales.vn@sanieuro.com
Website : www.sanieuro.com/vn

NOVATEC SANITARYWARE LANKA (PVT) LTD.

No. 09, Chilaw Road, Dalupotha, Negombo 11500,
Sri Lanka

Phone : +94 31 222 3535
Fax :- +94 31 222 3535
Email : info@novateclanka.lk
Website : www.sanieuro.com/lk

IDEAL KITCHEN AND BATHROOM PTE LTD.

577 Balestier Road (329892),
Singapore.

Phone : +65 6250 1234
Email : general@ideal.com.sg
Website : ideal.com.sg



@pakaiib



@pakai_industries_berhad



Pakai Industries Berhad

Hashtag : #pakaiib #sanieuro

